

From: Joseph Fowlow
To: [Rees, David](#); [Erik Berg](#); [Nuchims, Eric](#)
Cc: [Jamison, Myrna](#); [Franklin, Richard](#); [Heister, Dan](#); [Terada, Calvin](#)
Subject: RE: PQ 200's
Date: Wednesday, March 02, 2016 8:29:31 AM
Attachments: [BGI Air Samplers transfer 3-2011.doc](#)

David,

The transfer paperwork states that we have 12 units in the region. Right now here in Seattle we have five units, three are working units, and two are part units. The part units are almost just shells and would take \$\$ to get back to ready status. Portland now has 7 units and it was my understanding that DEQ is using them all.

Thanks Joe

From: Rees, David [<mailto:Rees.David@epa.gov>]
Sent: Wednesday, March 02, 2016 6:11 AM
To: Joseph Fowlow; Erik Berg
Cc: Jamison, Myrna; Franklin, Richard; Heister, Dan; Terada, Calvin
Subject: FW: PQ 200's

Joe/Erik,

Do we have any PQ200's in the AK warehouse? If DEQ does keep the current 5 we loaned them long-term, how many total do we have for ER's and removals?

Dave

From: Moon, Wally
Sent: Tuesday, March 1, 2016 7:11 PM
To: Rees, David <Rees.David@epa.gov>; Hall, Chris <Hall.Christopher@epa.gov>
Subject: Fwd: PQ 200's

Let me know if you have concerns over the length of time they seek to borrow these.

Wally Moon
EPA Region 10
(206) 553-6323
(206) 419-2682 cell

Sent from my iPhone

Begin forwarded message:

From: BORISENKO Aaron <BORISENKO.Aaron@deq.state.or.us>
Date: March 1, 2016 at 3:47:33 PM PST

To: "'moon.wally@epa.gov'" <moon.wally@epa.gov>

Cc: JOHNSON Keith <JOHNSON.Keith@deq.state.or.us>, BARNACK Anthony
<BARNACK.Anthony@deq.state.or.us>

Subject: PQ 200's

Hi Wally,

The situation is very dynamic right now so it is difficult to say for sure how long we will need the monitors. We are hoping to be able to borrow them for 6-9 months to give us enough time to increase our capacity (i.e. buy, lease or fix) instruments. Anthony Barnack borrowed the PQ 200's from Chris Hall so please keep him looped in. If the status of changes, we will keep you informed. Thanks. -Aaron

*Aaron Borisenko
Water Quality Monitoring Manager
Oregon Department of Environmental Quality
Laboratory Environmental Assessment Division
3150 NW 229th Suite 150
Hillsboro, Oregon 97124
Office: (503) 693-5723
Fax: (503)693-4999
borisenko.aaron@deq.state.or.us*

"We cannot step in the same river twice, for it's not the same river and we are not the same person."

Heraclitus, Greek philosopher, 535-475 BC

PUBLIC RECORDS LAW DISCLOSURE: This is a public document.

This e-mail may be subject to the state retention schedule and made available to the public.